



QUALITIUM CAT TO-4 10W QUALITIUM CAT TO-4 30

Gear oil/hydraulic oil for heavy construction and agricultural equipment.

SPECIFICATIONS

SAE: 10W or 30
API: CF/CF-2

MEETS REQUIREMENTS

Caterpillar TO-4; TO-4M
Allison C-4
API: MT-1
Komatsu KES 07.868.1
ZF TE-ML 03C/07F

May be used in the following vehicles: **AGCO, BELARUS, CASE, CLASS, DEUTZ-FAHR, DRESSER, FENDT, FIAT, HOLDER, HARVESTER, HYUNDAI, JCB, JOHN DEERE, KUHN, KUBOTA, LAMBORGHINI, LANDINI, MARSHALL, MASSEY FERGUSON, MITSUBISHI, NEW HOLLAND, PRONAR, RE-NAULT, STEYER, URSUS, VERMEER, ZETOR** and others when oil of this grade is recommended.

REPLACEMENT OILS

Qualitium CAT TO-4 10W

Mobil	Shell	Castrol
MobilTrans HD 10W	Spirax S4 CX 10W	Transmax Offroad 10
TotalEnergies	Orlen Oil	Fuchs
Dynatrans ACX 10W	Multi PTF 10W	Titan UTTO TO-4 10W

Qualitium CAT TO-4 30

Mobil	Shell	Castrol
Mobiltrans HD 30	Spirax S4 CX 30	Transmax Offroad 30
TotalEnergies	Orlen Oil	Fuchs
Dynatrans ACX 30	Multi PTF 30	Titan UTTO TO-4 30

APPLICATION

- Power Transmission Fluid type gear/hydraulic oil for heavy equipment
- for use in gearboxes, also Powershift gearboxes
- for power transmission systems
- hydraulic systems

ADVANTAGES

Qualitium CAT TO-4 10W, 30 oil is the best choice for universal heavy equipment:

- guarantees thorough lubrication between interacting components
- minimum oil loss results in smaller refills and economy
- compatible with currently used elastomers and clutch disc materials
- excellent anti-foam properties
- exhibits parameter stability, resists oxidation

Parameters	Qualitium CAT TO-4	
	10W	30
Kinematic viscosity at 100°C (mm ² /s)	6,2	11,0
Viscosity index	105	110
Flash point (COC, °C)	220	225
Pour point (°C)	-38	-33

*The above are typical physicochemical values. The actual physicochemical values are to be found in the laboratory report attached to each batch of the product.

AVAILABLE OIL VOLUMES

20L, 205L, 1000L

DETAILS OF THE COMPANY/TECHNICAL DEPARTMENT

Qualitium Sp. z o.o.
Brzeście Nowe 11B/2, 09-130 Baboszewo

Guaranteed storage period 3 years from production date. Production date and batch number are on the packaging.