

SPECIFICATIONS

SAE: 5W/30 API: SN/SN+ ACEA: C3

MEETS REQUIREMENTS

RN 17 MB 229.31 MB 229.51 MB 229.52 BMW Longlife-04 VW 505.01

May be used in the following vehicles: AUDI, BMW, CHEVROLET, CHRYSLER, CITROEN, DACIA, DAEWOO, FIAT, FORD, HONDA, HYUNDAI, KIA, ŁADA, MERCEDES, MITSUBISHI, OPEL, PEUGEOT, RENAULT, ROVER, SAAB, SEAT, SKODA, SUBARU, TOYOTA, VOLKSWAGEN, VOLVO and others when oil of this grade is recommended.

REPLACEMENT OILS

Mobil Super 3000 Formula RN 5W/30 Total Quartz Ineo R-Plus 5W/30 Castrol GTX RN17 5W/30 Shell Helix Ultra Proffesional AR-L RN17 5W/30 Motul 8100 X-Clean FE 5W/30 Elf Evolution Full-Tech R 5W/30

AVAILABLE OIL VOLUMES 1L, 5L, 20L, 60L, 205L, 1000L

QUALITIUM POWER R 5W/30

<u>Premium quality, synthetic motor oil for passenger</u> <u>cars and light commercial vehicles.</u>



APPLICATION

- Renault passenger cars and light commercial vehicles or vans requiring RN17
- passenger cars and light commercial vehicles or vans with exhaust reduction systems such as DPF or TWC
- for diesels and petrol engines
- for engines satisfying Euro 6 emission standards

ADVANTAGES

Qualitium Power R 5W/30 new generation oil with standards ACEA C3 and Renault RN17 for most modern vehicles with exhaust reduction systems such as DPF or TWC

- perfectly removes solid impurities and reduces the formation of deposits on the pistons and the turbocharger.
- delivers unsurpassed levels of protection across a variety of driving conditions and temperatures
- improved properties in terms of oil flow and "adhesion" to lubricated elements are ideal for vehicles with startstop systems

Parameters	Value
Kinematic viscosity at 100°C (mm²/s)	11,0
Viscosity index	165
Flash point (COC, °C)	220
Pour point (°C)	-40
Total Basic Number (TBN, mg KOH/g)	8,0

^{*} The above are typical physicochemical values. The actual physicochemical values are to be found in the laboratory report attached to each batch of the product.

DETAILS OF THE COMPANY/TECHNICAL DE-PARTMENT

Qualitium Sp. z o.o. Brzeście Nowe 11B/2, 09-130 Baboszewo