



QUALITIUM AGRI UTTO PLUS 10W/30

New generation, multifunctional UTTO oil based on advanced technology containing synthetic oils.

SPECIFICATIONS

API: GL-4
SAE: 10W/30
PN-ISO 11158 HV
DIN 51 524 part 3 HVLP

MEETS REQUIREMENTS

Table on page 2 - quality specifications.

May be used in the following vehicles:
AGCO, BELARUS, CASE, CLASS, DEUTZ-FAHR, DRESSER, FENDT, FIAT, HOLDER, HARVESTER, HYUNDAI, JCB, JOHN DEERE, KUHN, KUBOTA, LAMBORGHINI, LANDINI, MARSHALL, MASSEY FERGUSON, MITSUBISHI, NEW HOLLAND, PRONAR, RENAULT, STEYER, URSUS, VERMEER, ZETOR and others when oil of this grade is recommended.

REPLACEMENT OILS

MOBIL	SHELL	CASTROL
Mobilfluid 424	Spirax S4 TXM 10W/30	Agri Trans Plus 80W
TotalEnergies	ORLEN OIL	FUCHS
Dynatrans MPV	Agro UTTO 10W/30	Agrifarm UTTO MP

AVAILABLE OIL VOLUMES

20L, 205L, 1000L

APPLICATION

- gear/hydraulic oil for the latest agricultural and construction machinery operating in the harshest conditions
- for manual transmissions - guarantees optimal operation of synchronizers
- hydrokinetic transmissions
- hydraulic systems
- perfect operation of wet clutches and brakes with reduced noise

ADVANTAGES

- guarantees thorough lubrication between interacting components
- guarantees perfect operation of synchronizers in gearboxes
- dampens vibrations and squeals made by brakes working unevenly
- optimum operation of transmissions, clutches and wet brakes
- excellent protection in difficult working conditions, high humidity, high dust levels at high and low temperatures

Parameters	Value
Kinematic viscosity at 100°C (mm ² /s)	10.0
Viscosity index	165
Flash point (COC, °C)	228
Pour point (°C)	-48

* The above are typical physicochemical values. The actual physicochemical values are to be found in the laboratory report attached to each batch of the product.

DETAILS OF THE COMPANY/TECHNICAL DEPARTMENT

Qualitium Sp. z o.o.
Brzeście Nowe 11B/2, 09-130 Baboszewo

Guaranteed storage period 3 years from production date. Production date and batch number are on the packaging.

John Deere
J-20C (summer)
J-20D (winter) (Note 2)
J14 A,B,C
JTD303
J20A/B
HyGard
Quatrol
Case New Holland
MAT 3525
“134-D Fluid”
“Multi-G”
“Multi-G 134”
MAT 3526 (winter) (Note 2)
ESN M2C86B,C
MAT 3509
MAT 3510 (GL-4)
Ford New Holland
FNHA-2-C-200
FNHA-2-C-200A
FNHA-2-C-201
Ford
ESN-M2C134 A, B, C, D
ESN-M2C77A
ESN-M2C86- A & C ESN-M2C41B
ESN-M2C41B
ESN-M2C43
ESN-M2C48A, B & C
ESN-M2C53A & B
ESN-142A
ESN-M2C143
ESN-M2C92A
ESN-M2C159A, B, & C
Jl Case
MS-1216
MS-1230
MS-1317
MS-143 thru -145 (TCH Fluid)
MS-185 (TFD Fluid)
M2CA thru C
International Farmall
JIC-143 thru-145
JIC 185
New Holland
410B
Versatile Gear & Hydr Trans Fluid 23M & 24M
Renk-Doromat 873 or 874 A/B Bus Automatic Trans Fluid
Fiat-Hesston
AF-87
Multi-G, Multi-F

Valtractores, Steiger HTF (SEMS 17001)
Steiger Hydr Trans Fluid
Case New Holland (zinc free)
MAT 3505 (Note 3)
MAT 3540 (Notes 3,4)
JI Case
MS-1204 through MS-1206 Powergard PFT
MS-1207 (HyTran Plus)
MS-1209 (HyTran Ultra or Multi Tran)
MS-1210
IHC (International Harvester)
B-5 B-6, B-7 Hy-Tran
AGCO Massey-Ferguson
M-1145
White Q-1826
Massey Ferguson
M-1143
M-1141
M-1138
M-1135 Permatran III
M-1110
M-1127 A & B,
M-1129A Permatran
M-1139
Oliver
Type 55
New Idea Q-1802
Minneapolis-Moline/White:
Q-1705
Q-1722
Q-1766
Q-1766B (UTHF)
Q-1802
Deutz
Hyd Trans Fluid Deutz-Allis 25743
Allis-Chalmers PowerFluid PF-821 XL
Allis-Chalmers 257541
Allis-Chalmers 246634
Allis-Chalmers 272843
Allis Chalmers Hydr Trans Fluid
Landini Tractor II Hydr Fluid
AGCO-Allis
Volvo
VCE 1273.03
WB-101
WB-102 (Note 5)
Eaton Vickers
Sperry Vickers/Eaton
I-286-S
M-2950-S

M-2952-S
35VQ25 (pump stand)
ZF
TE-ML-03E (summer)
TE-ML-03F (winter)
TE-ML-05F
TE-ML-06E
TE-ML-06F (grade specific) TE-ML-06K
TE-ML-06K
TE-ML-17E
TE-ML-21F
Allison C-4
C-2
C-3
API GL-4 (Note 6)
Caterpillar
TO-2
Kubota UDT, Super UDT, Super UDT2 (Note 7)
JCMAS HK P-041 & P-042 (Japanese Construction Mechanization Association)
Parker (Denison) HF-0, HF-1, HF-2